

Form PTO-1449 (Rev. 8-88)		U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No. SYS-P-1230 (8364-90585)		Serial No. 10/740,200	
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		JUN 21 2004 PATENT DOCUMENTS		Applicant Obranovich et al.			
				Filing Date December 18, 2003		Group No.	
U.S. PATENT DOCUMENTS							
Examiner Initial*		Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
/DP/		2002/0099551 A1	7/25/02	Jacob	704	270	
/DP/		2002/0107692 A1	8/8/02	Litovsky	704	270	
FOREIGN PATENT DOCUMENTS							
		Document Number	Date	Country	Class	Subclass	Translation Yes No
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
/DP/		Steele, Mike, Sr., "The Speech Transmission Index Program is Up and Running", Press Release, Research Division Lexington Center, 11 pgs., September, 2003					
/DP/		SimplexGrinnell and Gold Line Jointly Announce a New Technology for Complying with Fire Alarm Voice Intelligibility Requirements, STI Product Information Brochure, 5, pgs., May, 2002					
/DP/		Gold Line Brochure "Information on New Safety & Security Test and Measurement System", 4 pgs., May, 2002					
/DP/		Jacob, Kenneth, "Understanding Speech Intelligibility and the Fire Alarm Code", National Fire Protection Association Congress, Anaheim, CA, 25 pgs., May 14, 2001,					
/DP/		Steeneken, Herman et al., "Development of an Accurate, Handheld, Simple-to-use Meter for the Prediction of Speech Intelligibility", 11 pgs., presented at Reproduced Sound 17, Stratford-on-Avon, November 16, 2001					
/DP/		Steeneken, Herman, "The Measurement of Speech Intelligibility", 8 pgs., May, 2002					
/DP/		Letter from Herman J.M. Steeneken to Gregory J. Miller, Esq. TEF Division of Gold Line, May, 2002					
/DP/		"Intelligibility Scores at Gillette Stadium", Feb. 2003 edition of Systems Contractor News, 5 pgs.					
Examiner /Disler Paul/		Date Considered 06/29/2007					
*Examiner:		Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					